



Reference No. SE-S-2200095

Towel rail

Type designation: TR*5, TR*5-i Momento II

Certificate holder: Volution Sweden AB

Smedjegatan 10 352 46 Växjö SWEDEN

The product complies with

the standard(s):

EN 60335-1:2012+A11+A13+A1+A14+A2

EN 60335-2-43:2003+A1+A2

EN 62233:2008

Date of expiry: 25 January, 2027

EU Directive information: According to the principle of presumption of conformity, this certificate

constitutes support for an EU Declaration of Conformity to the Low

Voltage Directive 2014/35/EU.

Additional information in Appendix

Certification Body: Intertek Semko AB, Product Certification Place: Kista - Stockholm

Signed: Date: 25 January, 2022

Leif Mattsson

This Certificate is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorized to permit copying or distribution of this Certificate and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.

Intertek Semko AB Page 1 of 3



APPENDIX:

Reference No. SE-S-2200095

Technical Data:

Type designation TR*5, TR*5-i Momento II

 Rated voltage (V)
 230

 Rated power (W)
 30, 40, 60

 Frequency (Hz)
 50

Class II
IP-Class 44

Trademark Pax, Vent-Axia, InVenter, Manrose, Ventilair

Test Report2110137STO-007Product informationModel description:

The asterisk indicates different dimensions of the towel rails.

TR*5:

TR45: 30 W. H: 445 mm, W: 490 mm, D: 109 mm. TR55: 40 W. H: 645 mm, W: 454 mm, D: 109 mm. TR65: 40 W. H: 645 mm, W: 490 mm, D: 109 mm. TR85: 60 W. H: 645 mm, W: 720 mm, D: 109 mm.

TR*5-i

TR55-i: 40 W. H: 750 mm, W: 460 mm, D: 112 mm TR65-i: 40 W. H: 750 mm, W: 500 mm, D: 112 mm TR85-i: 60 W. H: 750 mm, W: 730 mm, D: 112 mm



This Certificate is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorized to permit copying or distribution of this Certificate and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.

Intertek Semko AB Page 2 of 3



APPENDIX:

Reference No. SE-S-2200095

Manufacturing Sites: Volution Sweden AB Kattkärrsvägen 4

SE-648 31 Hälleforsnäs

SWEDEN

According to the principle of presumption of conformity, this certificate, which includes production control, constitutes support for an EC Declaration of Conformity and CE marking according to the Low Voltage Directive 2014/35/EU.

This presumption can expire before end of validity of this certificate due to new issued Standard or Amendment and changes within the EU legislation.

Certification Body: Intertek Semko AB, Product Certification Place: Kista - Stockholm

Signed: Date: 25 January, 2022

Leif Mattsson

Intertek

This Certificate is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorized to permit copying or distribution of this Certificate and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.

Intertek Semko AB Page 3 of 3